

Literaturverzeichnis

- ACEITUNO, D., VERA, N., PRINA, A. M., MCCRONE, P. (2019): Cost-effectiveness of early intervention in psychosis: Systematic review. *Br J Psychiatry*, 215(1): 388–394. <https://doi.org/10.1192/bjp.2018.298>.
- ADDINGTON, D. E., MCKENZIE, E., NORMAN, R., WANG, J., BOND, G. R. (2013): Essential evidence-based components of first-episode psychosis services. *Psychiatric Services*, 64(5): 452–457. <https://doi.org/10.1176/appi.ps.201200156>.
- ADDINGTON, J., LERIGER, E., ADDINGTON, D. (2003): Symptom outcome 1 year after admission to an early psychosis program. *The Canadian Journal of Psychiatry*, 48(3): 204–207. <https://doi.org/10.1177/070674370304800309>.
- ADERHOLD, V., HOHN, P. (2019): Das Konzept von Psychosen und die Antwort des Offenen Dialogs. *Familiendynamik*, 44(1): 54–62. <https://doi.org/10.21706/fd-44-1-54>.
- ALANEN, Y. O. (1997): Vulnerability to schizophrenia and psychotherapeutic treatment of schizophrenic patients: Towards an integrated view. *Psychiatry*, 60(2): 142–157. <https://doi.org/10.1080/00332747.1997.11024794>.
- ALVAREZ-JIMENEZ, M., PARKER, A. G., HETRICK, S. E., MCGORRY, P. D., GLEESON, J. F. (2011): Preventing the second episode: A systematic review and meta-analysis of psychosocial and pharmacological trials in first-episode psychosis. *Schizophr Bull*, 37(3): 619–630. <https://doi.org/10.1093/schbul/sbp129>.
- ÁLVAREZ-JIMÉNEZ, M., PRIEDE, A., HETRICK, S. E., BENDALL, S., KILLACKEY, E., PARKER, A. G., ... GLEESON, J. F. (2012): Risk factors for relapse following treatment for first episode psychosis: A systematic review and meta-analysis of longitudinal studies. *Schizophrenia Research*, 139(1): 116–128. <https://doi.org/10.1016/j.schres.2012.05.007>.
- Arbeitsgemeinschaft der Psychoseseminare, Bundesverband der Angehörigen psychisch Kranker, Dachverband psychosozialer Hilfsvereinigungen (2001): *Es ist normal, verschieden zu sein! Verständnis und Behandlung von Psychosen aus der Sicht von Erfahrenen und Behandelnden*. http://www.lpen-online.de/pdf/es_ist_normal_verschieden_zu_sein.pdf (02.05.2013).
- ARCHIE, S., RUSH, B. R., AKHTAR-DANESH, N., NORMAN, R., MALLA, A., ROY, P., ZIPURSKY, R. B. (2007): Substance use and abuse in first-episode psychosis: Prevalence before and after early intervention. *Schizophr Bull*, 33(6): 1354–1363. <https://doi.org/10.1093/schbul/sbmo11>.
- ARNETT, J. J. (1999): Adolescent storm and stress, reconsidered. *American Psychologist*, 54(5): 317. <https://doi.org/10.1037//0003-066x.54.5.317>.
- ARNETT, J. J. (2000): Emerging adulthood: A theory of development from the late teens through the twenties. *American Psychologist*, 55(5): 469–480. <https://doi.org/10.1037/0003-066X.55.5.469>.
- BAER, N., ALTWICKER-HÀMORI, S., JUVALTA, S., FRICK, U., RÜESCH, P. (2015): *Profile von jungen IV-Neurentenbeziehenden mit psychischen Krankheiten*. Bern: Bundesamt für Sozialversicherung.
- BAKSHEEV, G. N., ALLOTT, K., JACKSON, H. J., MCGORRY, P. D., KILLACKEY, E. (2012): Predictors of vocational recovery among young people with first-episode psychosis: Findings from a randomized controlled trial. *Psychiatric Rehabilitation Journal*, 35(6): 421–427. <https://doi.org/10.1037/h0094574>.

- BALDWIN, P., BROWNE, D., SCULLY, P. J., QUINN, J. F., MORGAN, M. G., KINSELLA, A., ... WADDINGTON, J. L. (2005): Epidemiology of first-episode psychosis: Illustrating the challenges across diagnostic boundaries through the Cavan-Monaghan study at 8 years. *Schizophr Bull*, 31(3): 624–638. <https://doi.org/10.1093/schbul/sbio25>.
- BANASCHEWSKI, T., FEGERT, J. M., FREYBERGER, H., KAROW, A., REIF, A., SCHAFF, C., ... DRIESSEN, M. (2019): Transitionspsychiatrie – Herausforderungen und Lösungsansätze. *Fortschritte der Neurologie-Psychiatrie*, 87(11): 608–615. <https://doi.org/10.1055/a-1016-3288>.
- BARBATO, A., VALLARINO, M., RAPISARDA, F., LORA, A., DE ALMEIDA, J. M. C. (2016): EU compass for action on mental health and well-being. Access to mental health care in Europe. Scientific paper. Funded by the European Union in the frame of the 3rd EU Health Programme (2014–2020). Lisbon: EU Compass Consortium.
- BARRETT, E. A., SUNDET, K., FAERDEN, A., AGARTZ, I., BRATLIEN, U., ROMM, K. L., ... ANDREASSEN, O. A. (2010): Suicidality in first episode psychosis is associated with insight and negative beliefs about psychosis. *Schizophrenia Research*, 123(2-3): 257–262. <https://doi.org/10.1016/j.schres.2010.07.018>.
- BECHDOLF, A., BÜHLING-SCHINDOWSKI, F., WEINMANN, S., BAUMGARDT, J., KAMPMANN, M., SAUTER, S. J., ... STEINERT, T. (2021): DGPPN-Pilotstudie zur Umsetzung der aus der S3-Leitlinie »Verhinderung von Zwang: Prävention und Therapie aggressiven Verhaltens bei Erwachsenen« abgeleiteten Implementierungsempfehlungen. *Der Nervenarzt* (submitted).
- BECHDOLF, A., SCHELLONG, M., IZAT, Y., LEOPOLD, K., HELLENSCHMIDT, T., LEOPOLD, S., ... GÖTZ, T. (2019): Soulspace – Implementierung eines niedrigschwelligen, spezifischen Behandlungs- und Frühinterventionsangebots für junge Erwachsene und Jugendliche in die Regelversorgung in Deutschland. *Psychiatr Prax*, 46(05): 243–246. <https://doi.org/10.1055/a-0918-9887>.
- BENDALL, S., JACKSON, H. J., HULBERT, C. A., MCGORRY, P. D. (2011): Childhood trauma and psychosis: An overview of the evidence and directions for clinical interventions. *Family Matters*, (89): 53–60.
- BENDALL, S., MCGORRY, P., KRSTEV, H. (2007): The trauma of being psychotic: An analysis of posttraumatic stress disorder in response to acute psychosis. In W. Larkin, A. P. Morrison (Hg.): *Trauma and psychosis: New directions for theory and therapy* (S. 70–86). London: Routledge.
- BERKING, M. (2004): Therapieziele in der psychosomatischen Rehabilitation. Diss. <https://ediss.uni-goettingen.de/bitstream/handle/00-1735-0000-000D-F129-7/berking.pdf?sequence=1> (22.06.2021).
- BERRY, C., GREENWOOD, K. (2018): Direct and indirect associations between dysfunctional attitudes, self-stigma, hopefulness and social inclusion in young people experiencing psychosis. *Schizophrenia Research*, 193: 197–203. <https://doi.org/10.1016/j.schres.2017.06.037>.
- BIRCHWOOD, M. (2003): Pathways to emotional dysfunction in first-episode psychosis. *The British Journal of Psychiatry*, 182(5): 373–375. <https://doi.org/10.1192/bjp.182.5.373>.
- BIRCHWOOD, M., SPENCER, E. (2001): Early intervention in psychotic relapse. *Clinical Psychology Review*, 21(8): 1211–1226. [https://doi.org/10.1016/S0272-7358\(01\)00105-2](https://doi.org/10.1016/S0272-7358(01)00105-2).
- BIRCHWOOD, M., TODD, P., JACKSON, C. (1998): Early intervention in psychosis. The critical period hypothesis. *Br J Psychiatry Suppl*, 172(33): 53–59. <https://doi.org/10.1192/S0007125000297663>.

- BIRD, V., PREMKUMAR, P., KENDALL, T., WHITTINGTON, C., MITCHELL, J., KUIPERS, E. (2010): Early intervention services, cognitive-behavioural therapy and family intervention in early psychosis: Systematic review. *Br J Psychiatry*, 197(5): 350–356. <https://doi.org/10.1192/bjp.bp.109.074526>.
- BLOCH, S., CROUCH, E. (1985): *Therapeutic factors in group psychotherapy*. Oxford: Oxford University Press.
- BOCK, T. (2006): *Eigensinn und Psychose*. Neumünster: Paranus.
- BOCK, T. (2017): *Psychoseseminar/Trialog-Bewegung, Weltkongresse*. <https://lecture2go.uni-hamburg.de/l2go/-/get/v/21368> (22.06.2021).
- BOHUS, M. (2019): *Borderline-Störung*. 2. Auflage. Göttingen: Hogrefe.
- BOND, G. R., BECKER, D. R., DRAKE, R. E. (2011): Measurement of fidelity of implementation of evidence-based practices: Case example of the IPS fidelity scale. *Clinical Psychology: Science and Practice*, 18(2): 126–141. <https://doi.org/10.1111/j.1468-2850.2011.01244.x>.
- BOND, G. R., DRAKE, R. E., CAMPBELL, K. (2016): Effectiveness of individual placement and support supported employment for young adults. *Early Intervention in Psychiatry*, 10(4): 300–307. <https://doi.org/10.1111/eip.12175>.
- BOONSTRA, N., KLAASSEN, R., SYTEMA, S., MARSHALL, M., DE HAAN, L., WUNDERINK, L., WIERSMA, D. (2012): Duration of untreated psychosis and negative symptoms – a systematic review and meta-analysis of individual patient data. *Schizophrenia Research*, 142(1–3): 12–19. <https://doi.org/10.1016/j.schres.2012.08.017>.
- BOWMAN, S., MCKINSTRY, C., MCGORRY, P. (2017): Youth mental ill health and secondary school completion in Australia: Time to act. *Early Intervention in Psychiatry*, 11(4): 277–289. <https://doi.org/10.1111/eip.12357>.
- BOWTELL, M., RATHEESH, A., MCGORRY, P., KILLACKEY, E., O'DONOGHUE, B. (2018): Clinical and demographic predictors of continuing remission or relapse following discontinuation of antipsychotic medication after a first episode of psychosis. A systematic review. *Schizophrenia Research*, 197: 9–18. <https://doi.org/10.1016/j.schres.2017.11.010>.
- BRAAKMAN, M., KORTMANN, F., VAN DEN BRINK, W. (2009): Validity of »post-traumatic stress disorder with secondary psychotic features«: A review of the evidence. *Acta Psychiatr Scand*, 119(1): 15–24. <https://doi.org/10.1111/j.1600-0447.2008.01252.x>.
- BROWN, J. A. (2011): Talking about life after early psychosis: The impact on occupational performance. *Canadian Journal of Occupational Therapy*, 78(3): 156–163. <https://doi.org/10.2182/cjot.2011.78.3.3>.
- BUSHONG, M. E., NAKONEZNY, P. A., BYERLY, M. J. (2013): Subjective quality of life and sexual dysfunction in outpatients with schizophrenia or schizoaffective disorder. *Journal of Sex Marital Therapy*, 39(4): 336–346. <https://doi.org/10.1080/0092623X.2011.606884>.
- CAVELTI, M., THOMPSON, K. N., HULBERT, C., BETTS, J., JACKSON, H., FRANCEY, S., ... CHANEN, A. M. (2019): Exploratory comparison of auditory verbal hallucinations and other psychotic symptoms among youth with borderline personality disorder or schizophrenia spectrum disorder. *Early Intervention in Psychiatry*, 13(5): 1252–1262. <https://doi.org/10.1111/eip.12763>.
- CHANEN, A. M., BETTS, J., JACKSON, H., MCGORRY, P., NELSON, B., COTTON, S. M., ... DAVEY, C. (2019): Aripiprazole compared with placebo for auditory verbal hallucinations in youth with borderline personality disorder: Protocol for the VERBATIM randomized controlled trial. *Early Intervention in Psychiatry*, 13(6): 1373–1381. <https://doi.org/10.1111/eip.12774>.

- CHINMAN, M., GEORGE, P., DOUGHERTY, R. H. et al. (2014): Peer support services for individuals with serious mental illnesses: Assessing the evidence. *Psychiatr Serv*, 65(4): 429–441. <https://doi.org/10.1176/appi.ps.201300244>.
- COCHRAN, D. M., DVIR, Y., FRAZIER, J. A. (2013): »Autism-plus« spectrum disorders: Intersection with psychosis and the schizophrenia spectrum. *Child and Adolescent Psychiatric Clinics*, 22(4): 609–627. <https://doi.org/10.1016/j.chc.2013.04.005>.
- COENTRE, R., TALINA, M. C., GÓIS, C., FIGUEIRA, M. L. (2017): Depressive symptoms and suicidal behavior after first-episode psychosis: A comprehensive systematic review. *Psychiatry Research*, 253: 240–248. <https://doi.org/10.1016/j.psychres.2017.04.010>.
- COHEN, B. M. (2000): Two-year syndromal and functional recovery in 219 cases of first-episode major affective disorder with psychotic features. *American Journal of Psychiatry*, 157(2): 220–228. <https://doi.org/10.1176/appi.ajp.157.2.220>.
- CONUS, P., LAMBERT, M., COTTON, S., BONSAK, C., MCGORRY, P. D., SCHIMMELMANN, B. G. (2010): Rate and predictors of service disengagement in an epidemiological first-episode psychosis cohort. *Schizophrenia Research*, 118(1–3): 256–263. <https://doi.org/10.1016/j.schres.2010.01.032>.
- COPOLOV, D. L., MCGONY, P. D., KEKS, N., MINAS, I. H., HEMAN, H. E., SINGH, B. S. (1989): Origins and establishment of the schizophrenia research programme at Royal Park Psychiatric Hospital. *Australian and New Zealand Journal of Psychiatry*, 23(4): 443–451. <https://doi.org/10.3109/00048678909062611>.
- CORBÈRE, M., BROUWERS, E., LANCTÔT, N., VAN WEEGHEL, J. (2014): Employment specialist competencies for supported employment programs. *Journal of Occupational Rehabilitation*, 24(3): 484–497. <https://doi.org/10.1007/s10926-013-9482-5>.
- CORBÈRE, M., LECOMTE, T., REINHARZ, D., KIRSH, B., GOERING, P., MENEAR, M., BERBICHE, D., GENEST, K., GOLDNER, E. (2017): Predictors of acquisition of competitive employment for people enrolled in supported employment programs. *Journal of Nervous and Mental Disease*, 205(4): 275–282. <https://doi.org/10.1097/NMD.0000000000000612>.
- CORRELL, C. U., GALLING, B., PAWAR, A., KRIVKO, A., BONETTO, C., RUGGERI, M., ... KANE, J. M. (2018): Comparison of early intervention services vs treatment as usual for early-phase psychosis: A systematic review, meta-analysis, and meta-regression. *JAMA Psychiatry*, 75(6): 555–565. <https://doi.org/10.1001/jamapsychiatry.2018.0623>.
- COUNCIL OF EUROPE (1997): Convention for the protection of human rights and dignity of the human being with regard to the application of biology and medicine: Convention on human rights and biomedicine. *European Treaty Series*, 164. <https://rm.coe.int/168007cf98> (28.07.2021).
- CULLBERG, J. (2014): *Psychoses: An integrative perspective*. London: Routledge.
- CUSACK, K. J., FRUEH, B. C., HIERS, T., SUFFOLETTA-MAIERLE, S., BENNETT, S. (2003): Trauma within the psychiatric setting: A preliminary empirical report. *Administration and Policy in Mental Health and Mental Health Services Research*, 30(5): 453–460. <https://doi.org/10.1023/a:1024697715409>.
- DAHL, R. (2004): Adolescent brain development: A period of vulnerabilities and opportunities. *Annals of the New York Academy of Sciences*, Jun, 1021: 1–22. <https://doi.org/10.1196/annals.1308.001>.
- DAVIES, C., CIPRIANI, A., IOANNIDIS, J. P., RADUA, J., STAHL, D., PROVENZANI, U., ... FUSAR-POLI, P. (2018): Lack of evidence to favor specific preventive interventions in psychosis: A network meta-analysis. *World Psychiatry*, 17(2): 196–209. <https://doi.org/10.1002/wps.20526>.

- DAVISON, T. E., MCCABE, M. P. (2006): Adolescent body image and psychosocial functioning. *The Journal of Social Psychology*, 146(1): 15–30. <https://doi.org/10.3200/SOCP.146.1.15-30>.
- DE HAAN, L., LINSZEN, D. H., LENIOR, M. E., DE WIN, E. D., GORSIRA, R. (2003): Duration of untreated psychosis and outcome of schizophrenia: Delay in intensive psychosocial treatment versus delay in treatment with antipsychotic medication. *Schizophr Bull*, 29(2): 341–348. <https://doi.org/10.1093/oxfordjournals.schbul.a007009>.
- DE WINTER, L., COUWENBERGH, C., VAN WEEGHEL, J., BERGMANS, C., BOND, G. R. (2020): Fidelity and IPS: Does quality of implementation predict vocational outcomes over time for organizations treating persons with severe mental illness in the Netherlands? *Social Psychiatry and Psychiatric Epidemiology*, 55(12): 1607–1617. <https://doi.org/10.1007/s00127-020-01890-0>.
- DEEGAN, P. E. (1988): Recovery: The lived experience of rehabilitation. *Psychosocial Rehabilitation Journal*, 11(4): 11–19. <https://doi.org/10.1037/h0099565>.
- DEEGAN, P. E. (2002): Recovery as a self-directed process of healing and transformation. *Occupational Therapy in Mental Health*, 17(3–4): 5–21. https://doi.org/10.1300/J004V17N03_02.
- DEVOE, D. J., FARRIS, M. S., TOWNES, P., ADDINGTON, J. (2019): Interventions and social functioning in youth at risk of psychosis: A systematic review and meta-analysis. *Early Intervention in Psychiatry*, 13(2): 169–180. <https://doi.org/10.1111/eip.12689>.
- DEVOE, D. J., FARRIS, M. S., TOWNES, P., ADDINGTON, J. (2020): Interventions and transition in youth at risk of psychosis: A systematic review and meta-analyses. *J Clin Psychiatry*, 81(3): 17112053. <https://doi.org/10.4088/JCP.17112053>.
- DGKJP, DGPPN (2018): Autismus-Spektrum-Störungen im Kindes-, Jugend- und Erwachsenenalter – Teil 1: Diagnostik. Interdisziplinäre S3-Leitlinie der DGKJP und der DGPPN sowie der beteiligten Fachgesellschaften, Berufsverbände und Patientenorganisationen. <https://www.awmf.org/leitlinien/detail/II/028-018.html> (22.06.2021).
- (DGPPN (2019 a): S3-Leitlinie Psychosoziale Therapien bei schweren psychischen Erkrankungen. 2. Auflage. https://www.awmf.org/uploads/tx_szleitlinien/038-0201_S3_Psychosoziale_Therapien_bei_schweren_psychischen_Erkrankungen_2019-07.pdf (13.10.2021).
- DGPPN (2019 b): S3-Leitlinie Schizophrenie. Langfassung, Version 1.0, zuletzt geändert am 15. März 2019. <https://www.awmf.org/leitlinien/detail/II/038-009.html> (22.06.2021).
- DICLEMENTE, C. C., PROCHASKA, J. O., FAIRHURST, S. K., VELICER, W. F., VELASQUEZ, M. M., ROSSI, J. S. (1991): The process of smoking cessation: An analysis of precontemplation, contemplation, and preparation stages of change. *Journal of Consulting and Clinical Psychology*, 59(2): 295–304. <https://doi.org/10.1037//0022-006x.59.2.295>.
- DONATH, C., GRAESSEL, E., BAIER, D., BLEICH, S., HILLEMACHER, T. (2014): Is parenting style a predictor of suicide attempts in a representative sample of adolescents? *BMC Pediatrics*, 14(1): 113. <https://doi.org/10.1186/1471-2431-14-113>.
- DOYLE, R., TURNER, N., FANNING, F., BRENNAN, D., RENWICK, L., LAWLOR, E., CLARKE, M. (2014): First-episode psychosis and disengagement from treatment: A systematic review. *Psychiatric Services*, 65(5): 603–611. <https://doi.org/10.1176/appi.ps.201200570>.
- DREHER, E., DREHER, M. (1985): Wahrnehmung und Bewältigung von Entwicklungsaufgaben im Jugendalter: Fragen, Ergebnisse und Hypothesen zum Konzept einer Entwicklungs- und Pädagogischen Psychologie des Jugendalters. In R. H. Oerter (Hg.): *Lebensbewältigung im Jugendalter* (S. 30–61). Weinheim: Edition Psychologie.

- DU BOIS, R. (2014): Aspekte der stationären Frühbehandlung psychotischer Jugendlicher. In B. G. Schimmelmann, F. Resch (Hg.): *Psychosen in der Adoleszenz: Entwicklungspsychopathologie, Früherkennung und Behandlung* (S. 361–272). Stuttgart: Kohlhammer.
- DUDLEY, R., NICHOLSON, M., STOTT, P., SPOORS, G. (2014): Improving vocational outcomes of service users in an early intervention in psychosis service. *Early Intervention in Psychiatry*, 8(1): 98–102. <https://doi.org/10.1111/eip.12043>.
- Early Psychosis Guidelines Working Group (2010): *Australian clinical guidelines for early psychosis*. Melbourne: Orygen Youth Health.
- Early Psychosis Guidelines Working Group and EPPIC Support Program (2016): *Australian clinical guidelines for early psychosis. 2nd edition update*. Melbourne: Orygen, The National Centre of Excellence in Youth Mental Health.
- EASTER, M. M., SWANSON, J. W., ROBERTSON, A. G. (2017): Facilitation of psychiatric advance directives by peers and clinicians on assertive community treatment teams. *Psychiatr Serv*, 68(7): 717–723. <https://doi.org/10.1176/appi.ps.201600423>.
- EDWARDS, J., HARRIS, M. G., BAPAT, S. (2005): Developing services for first-episode psychosis and the critical period. *The British Journal of Psychiatry*, Aug, 48: 591–597. <https://doi.org/10.1192/bjp.187.48.591>.
- EIRUND, W. (2009): Die Grenzen des Wahnwissens. IZPP, 1. Themenschwerpunkt »Gut und Böse«.
- EISEN, J. L., RASMUSSEN, S. A. (1993): Obsessive compulsive disorder with psychotic features. *J Clin Psychiatry*, 54(10): 373–379.
- ENGELMANN, C., FISCHER, L., RABE, H. (2018): Entwicklung der Menschenrechtssituation in Deutschland Bericht an den Deutschen Bundestag gemäß § 2 Absatz 5 DIMRG. https://www.institut-fuer-menschenrechte.de/fileadmin/user_upload/Publikationen/Menschenrechtsbericht_2018/Menschenrechtsbericht_2018.pdf (06.08.2021).
- ERIKSON, E. H. (1968): *Identity youth and crisis*. New York: W. W. Norton.
- FARAHANI, A., CORRELL, C. U. (2012): Are antipsychotics or antidepressants needed for psychotic depression? A systematic review and meta-analysis of trials comparing antidepressant or antipsychotic monotherapy with combination treatment. *J Clin Psychiatry*, 73(4): 486. <https://doi.org/10.4088/JCP.11r07324>.
- FEDOROW, H., HALLIDAY, G., RICKERT, C., GERLACH, M., RIEDERER, P., DOUBLE, K. (2006): Evidence for specific phases in the development of human neuromelanin. *Neurobiology of Aging*, 27(3): 506–512. <https://doi.org/10.1016/j.neurobiolaging.2005.02.015>.
- FEIL, N. (1991): Validation therapy. In P. K. H. KIM (Hg.): *Serving the elderly: Skills for practice* (S. 89–115). New York: Walter de Gruyter.
- FLAMMER, A. (2009): Entwicklungsaufgaben der Adoleszenz. In J. Fegert, A. Streeck-Fischer, H. Freyberger (Hg.): *Adoleszenzpsychiatrie. Psychiatrie und Psychotherapie der Adoleszenz und des jungen Erwachsenenalters* (S. 92–104). Stuttgart: Schattauer.
- FRANCEY, S. M., O'DONOGHUE, B., NELSON, B., GRAHAM, J., BALDWIN, L., YUEN, H. P., ... ALVAREZ-JIMENEZ, M. (2020): Psychosocial intervention with or without antipsychotic medication for first-episode psychosis: A randomized noninferiority clinical trial. *Schizophrenia Bulletin Open*, 1(1): sgaa015. <https://doi.org/10.1093/schizbullopen/sgaa015>.
- FREDERICK, D. E., VAN DER WEELE, T. J. (2019): Supported employment: Meta-analysis and review of randomized controlled trials of individual placement and support. *PloS One*, 14(2): e0212208. <https://doi.org/10.1371/journal.pone.0212208>.

- FREUDENREICH, O., CHARLES SCHULZ, S., GOFF, D. C. (2009): Initial medical work-up of first-episode psychosis: A conceptual review. *Early Intervention in Psychiatry*, 3(1): 10–18. <https://doi.org/10.1111/j.1751-7893.2008.00105.x>.
- FREUDENREICH, O., HOLT, D. J., CATHER, C., GOFF, D. C. (2007): The evaluation and management of patients with first-episode schizophrenia: A selective, clinical review of diagnosis, treatment, and prognosis. *Harvard Review of Psychiatry*, 15(5): 189–211. <https://doi.org/10.1080/10673220701679804>.
- FRITH, U., FRITH, C. D. (2003): Development and neurophysiology of mentalizing. *Philosophical Transactions of the Royal Society of London. Series B: Biological Sciences*, 358(1431): 459–473. <https://doi.org/10.1098/rstb.2002.1218>.
- FUSAR-POLI, P., CAPPUCCIATI, M., BONOLDI, I., HUI, L. C., RUTIGLIANO, G., STAHL, D. R., ... LAWRIE, S. M. (2016): Prognosis of brief psychotic episodes: A meta-analysis. *JAMA Psychiatry*, 73(3): 211–220. <https://doi.org/10.1001/jamapsychiatry.2015.2313>.
- FUSAR-POLI, P., DE PABLO, G. S., CORRELL, C. U., MEYER-LINDENBERG, A., MILLAN, M. J., BORGWARDT, S., ... KESSING, L. V. (2020): Prevention of psychosis: Advances in detection, prognosis, and intervention. *JAMA Psychiatry*, 77(7): 755–765. <https://doi.org/10.1001/jamapsychiatry.2019.4779>.
- FUSAR-POLI, P., DESTE, G., SMIESKOVA, R., BARLATI, S., YUNG, A. R., HOWES, O., ... BORGWARDT, S. (2012): Cognitive functioning in prodromal psychosis: A meta-analysis. *Arch Gen Psychiatry*, 69(6): 562–571. <https://doi.org/10.1001/archgenpsychiatry.2011.1592>.
- FUSAR-POLI, P., MCGORRY, P. D., KANE, J. M. (2017): Improving outcomes of first-episode psychosis: An overview. *World Psychiatry*, 16(3): 251–265. <https://doi.org/10.1002/wps.20446>.
- GALLETLY, C. A., FOLEY, D. L., WATERREUS, A., WATTS, G. F., CASTLE, D. J., MCGRATH, J. J., ... MORGAN, V. A. (2012): Cardiometabolic risk factors in people with psychotic disorders: The second Australian national survey of psychosis. *Australian and New Zealand Journal of Psychiatry*, 46(8): 753–761. <https://doi.org/10.1177/0004867412453089>.
- GALLETLY, C. L., MURRAY, L. E. (2009): Managing weight in persons living with severe mental illness in community settings: A review of strategies used in community interventions. *Issues Ment Health Nurs*, 30(11): 660–668. <https://doi.org/10.3109/01612840903131784>.
- GARETY, P., FREEMAN, D. (2013): The past and future of delusion research: From the inexplicable to the treatable. *The British Journal of Psychiatry*, 203: 327–333. <https://doi.org/10.1192/bjp.bp.113.126953>
- GARETY, P. A., RIGG, A. (2001): Early psychosis in the inner city: A survey to inform service planning. *Soc Psychiatry Psychiatr Epidemiol*, 36(11): 537–544. <https://doi.org/10.1007/s001270170004>.
- GATES, J., KILLACKEY, E., PHILLIPS, L., ÁLVAREZ-JIMÉNEZ, M. (2015): Mental health starts with physical health: Current status and future directions of non-pharmacological interventions to improve physical health in first-episode psychosis. *The Lancet Psychiatry*, 2(8): 726–742. [https://doi.org/10.1016/S2215-0366\(15\)00213-8](https://doi.org/10.1016/S2215-0366(15)00213-8).
- GIEDD, J. N. (2008): The teen brain: Insights from neuroimaging. *Journal of Adolescent Health*, 42(4): 335–343. <https://doi.org/10.1016/j.jadohealth.2008.01.007>.
- GILLARD, S., GIBSON, S. L., HOLLEY, J., LUCOCK, M. (2015): Developing a change model for peer worker interventions in mental health services: A qualitative research study. *Epidemiol Psychiatr Sci*, 24(5): 435–445. <https://doi.org/10.1017/S2045796014000407>.

- GIRLANDA, F., FIEDLER, I., BECKER, T. ET AL. (2017): The evidence-practice gap in specialist mental healthcare: Systematic review and meta-analysis of guideline implementation studies. *The British Journal of Psychiatry*, 210(1): 24–30. <https://doi.org/10.1192/bjp.bp.115.179093>.
- GLOVER, H. (2003): A series of thoughts on personal recovery. www.mentalhealth.org.uk (24.08.2006).
- GLUCKMAN, P., HANSON, M. (2006): Changing times: The evolution of puberty. *Molecular and Cellular Endocrinology*, 254: 26–31. <https://doi.org/10.1016/j.mce.2006.04.005>.
- GOODING, P., MCSHERRY, B., ROPER, C., GREY, F. (2018): Alternatives to coercion in mental health settings: A literature review. Melbourne Social Equity Institute, University of Melbourne.
- GORE, F. M., BLOEM, P. J., PATTON, G. C., FERGUSON, J., JOSEPH, V., COFFEY, C., ... MATHERS, C. D. (2011): Global burden of disease in young people aged 10–24 years: A systematic analysis. *The Lancet*, 377(9783): 2093–2102. [https://doi.org/10.1016/S0140-6736\(11\)60512-6](https://doi.org/10.1016/S0140-6736(11)60512-6).
- GRAWE, K. (1998): *Psychologische Therapie*. Göttingen: Hogrefe.
- GROL, R., GRIMSHAW, J. (2003): From best evidence to best practice: Effective implementation of change in patients' care. *The Lancet*, 362(9391): 1225–1230. [https://doi.org/10.1016/S0140-6736\(03\)14546-1](https://doi.org/10.1016/S0140-6736(03)14546-1).
- GROSS, J.J. (1998): The emerging field of emotion regulation: An integrative review. *Review of General Psychology*, 2(3): 271–299. <https://doi.org/10.1037/1089-2680.2.3.271>.
- HÄFNER, H., MAURER, K., LÖFNER, W., AN DER HEIDEN, W. A., HAMBRECHT, M., SCHULTZE-LUTTER, F. (2003): Modeling the early course of schizophrenia. *Schizophr Bull*, 29(2): 325–340. <https://doi.org/10.1093/oxfordjournals.schbul.a007008>.
- HAMPSON, M. E., WATT, B. D., HICKS, R. E. (2020): Impacts of stigma and discrimination in the workplace on people living with psychosis. *BMC Psychiatry*, 20(1): 288. <https://doi.org/10.1186/s12888-020-02614-z>.
- HAVIGHURST, R. J. (1956): Research on the developmental-task concept. *The School Review*, 64(5): 215–223.
- HECKHAUSEN, J., HECKHAUSEN, H. (2006): Motivation und Handeln: Einführung und Überblick. In J. HECKHAUSEN, H. HECKHAUSEN (Hg.): *Motivation und Handeln* (S. 1–9). Berlin, Heidelberg: Springer.
- HEIDER, F. (1958): *The psychology of interpersonal relations*. John Wiley & Sons: New York. <https://doi.org/10.1037/10628-000>.
- HERPERTZ, S. C. (2017): *Modulare Psychotherapie*. München: Urban & Fischer.
- HERPERTZ-DAHLMANN, B., BÜHREN, K., REMSCHMIDT, H. (2013): Erwachsenwerden ist schwer. Psychische Störungen in der Adoleszenz. *Deutsches Ärzteblatt International*, 110(25): 432–440. <https://doi.org/10.3238/arztebl.2013.0432>.
- HERZ, M. I., LAMBERTI, J. S., MINTZ, J., SCOTT, R., O'DELL, S. P., MCCARTAN, L., NIX, G. (2000): A program for relapse prevention in schizophrenia: a controlled study. *Arch Gen Psychiatry*, 57(3), 277–283. <https://doi.org/10.1001/archpsyc.57.3.277>.
- HEWLETT, E., MORAN, V. (2014): Making Mental Health Count: The Social and Economic Costs of Neglecting Mental Health Care. OECD Health Policy Studies. Paris: OECD Publishing. <https://doi.org/10.1787/9789264208445-en>.
- HINSCH, R., PINGSTEN, U. (2007): *Gruppentraining sozialer Kompetenzen*. Weinheim: Beltz PVU.

- HOFFMANN, H., JÄCKEL, D., GLAUSER, S., MUESER, K. T., KUPPER, Z. (2014): Long-term effectiveness of supported employment: 5-year follow-up of a randomized controlled trial. *American Journal of Psychiatry*, 171(11): 1183–1190. <https://doi.org/10.1176/appi.ajp.2014.13070857>.
- HOLLIS, C., CHEN, Q., CHANG, Z., QUINN, P. D., VIKTORIN, A., LICHTENSTEIN, P., ... LARSSON, H. (2019): Methylphenidate and the risk of psychosis in adolescents and young adults: A population-based cohort study. *The Lancet Psychiatry*, 6(8): 651–658. [https://doi:10.1016/S2215-0366\(19\)30189-0](https://doi:10.1016/S2215-0366(19)30189-0).
- HOLLMANN, J., SOBANSKI, A. (2015): Strategie- und Change-Kompetenz für Leitende Ärzte. Krisen meistern, Chancen erkennen, Zukunft gestalten. Berlin, Heidelberg: Springer.
- HUGHES, F., STAVELY, H., SIMPSON, R., GOLDSTONE, S., PENNELL, K., MCGORRY, P. (2014): At the heart of an early psychosis centre: The core components of the 2014 Early Psychosis Prevention and Intervention Centre model for Australian communities. *Australasian Psychiatry*, 22(3): 228–234. <https://doi.org/10.1177/1039856214530479>.
- HURRELMANN, K., QUENZEL, G. (2015): Lost in transition: Status insecurity and inconsistency as hallmarks of modern adolescence. *International Journal of Adolescence and Youth*, 20(3): 261–270. <https://doi.org/10.1080/02673843.2013.785440>.
- HURRELMANN, K., QUENZEL, G. (2016): Lebensphase Jugend. Eine Einführung in die Sozialwissenschaftliche Jugendforschung. 13. Auflage. Weinheim, Basel: Beltz Juventa.
- Irre menschlich e.V. (Hg.) (o.J.): Es ist normal, verschieden zu sein («Blaue Broschüre»). <https://www.dgsp-ev.de/veroeffentlichungen/broschueren/es-ist-normal-verschieden-zu-sein.html> (22.06.2021).
- IYER, S. N., MANGALA, R., ANITHA, J., THARA, R., MALLA, A. K. (2011): An examination of patient-identified goals for treatment in a first-episode programme in Chennai, India. *Early Intervention in Psychiatry*, 5(4): 360–365. <https://doi.org/10.1111/j.1751-7893.2011.00289.x>.
- JÄCKEL, D., KUPPER, Z., GLAUSER, S., MUESER, K. T., HOFFMANN, H. (2017): Effects of sustained competitive employment on psychiatric hospitalizations and quality of life. *Psychiatric Services*, 68(6): 603–609. <https://doi.org/10.1176/appi.ps.201600083>.
- JÄCKEL, D., SIEBERT, S., BAUMGARDT, J., LEOPOLD, K., BECHDOLF, A. (2020): Arbeitsbezogene Teilhabebeeinträchtigungen und Unterstützungsbedarf von Patienten in der (teil-)stationären psychiatrischen Versorgung. *Psychiatrische Praxis*, 47(5): 235–241. <https://doi.org/10.1055/a-1112-5519>.
- JACOBSON, C. M., MUEHLENKAMP, J. J., MILLER, A. L., TURNER, J. B. (2008): Psychiatric impairment among adolescents engaging in different types of deliberate self-harm. *Journal of Clinical Child Adolescent Psychology*, 37(2): 363–375. <https://doi.org/10.1080/15374410801955771>.
- JENKINS, J. H., CARPENTER-SONG, E. A. (2009): Awareness of stigma among persons with schizophrenia: Marking the contexts of lived experience. *The Journal of Nervous and Mental Disease*, 197(7): 520–529. <https://doi.org/10.1097/NMD.0b013e3181aad5e9>.
- JOHNSON, J., HORWATH, E., WEISSMAN, M. M. (1991): The validity of major depression with psychotic features based on a community study. *Arch Gen Psychiatry*, 48(12): 1075–1081. <https://doi.org/10.1001/archpsyc.1991.01810360039006>.
- KANFER, F. H., REINECKER, H., SCHMELZER, D. (2012): Selbstmanagement-Therapie. 5. Auflage. Berlin, Heidelberg: Springer.
- KAROW, A., BOCK, T., NABER, D., LÖWE, B., SCHULTE-MARKWORT, M., SCHÄFER, I., ... KÖNIG, H. (2013): Die psychische Gesundheit von Kindern, Jugendlichen und jungen Erwachsenen – Teil 2: Krankheitslast, Defizite des deutschen Versorgungssystems, Effektivität und Effizienz von »Early Intervention Services«. *Fortschritte der Neurologie-Psychiatrie*, 81(11): 628–638. <https://doi.org/10.1055/s-0033-1355840>.

- KESSLER, R. C., AMMINGER, G. P., AGUILAR-GAXIOLA, S., ALONSO, J., LEE, S., USTUN, T. B. (2007): Age of onset of mental disorders: A review of recent literature. *Curr Opin Psychiatry*, 20(4): 359. <https://doi.org/10.1097/YCO.0b013e32816ebc8c>.
- KILIAN, R., LAUBER, C., KALKAN, R., DORN, W., RÖSSLER, W., WIERSMA, D., ... BECKER, T. (2012): The relationships between employment, clinical status, and psychiatric hospitalisation in patients with schizophrenia receiving either IPS or a conventional vocational rehabilitation programme. *Social Psychiatry and Psychiatric Epidemiology*, 47(9): 1381–1389. <https://dx.doi.org/10.1007/s00127-011-0451-z>.
- KILLACKEY, E., ALLOTT, K., JACKSON, H. J., SCUTELLA, R., TSENG, Y. P., BORLAND, J., ... COTTON, S. M. (2019): Individual placement and support for vocational recovery in first-episode psychosis: Randomised controlled trial. *The British Journal of Psychiatry*, 214(2): 76–82. <https://doi.org/10.1192/bjp.2018.191>.
- KING, J., WAGHORN, G. (2018): How higher performing employment specialists support job-seekers with psychiatric disabilities retain employment. *Journal of Rehabilitation*, 84(4): 22–28.
- KINGSTON, T., SCULLY, P., BROWNE, D., BALDWIN, P., KINSELLA, A., RUSSELL, V., ... WADDINGTON, J. (2013): Diagnostic trajectory, interplay and convergence/divergence across all 12 DSM-IV psychotic diagnoses: 6-year follow-up of the Cavan-Monaghan First Episode Psychosis Study (CAMFEPS). *Psychol Med*, 43(12): 2523. <https://doi.org/10.1017/S003329171300041X>.
- KINOSHITA, Y., FURUKAWA, T. A., OMORI, I. M., WATANABE, N., MARSHALL, M., BOND, G. R., HUXLEY, P., KINGDON, D. (2013): Supported employment for adults with severe mental illness. *Cochrane Database of Systematic Reviews*, 2013(9): CD008297. <https://doi:10.1002/14651858.CD008297.pub2>.
- KLIMITZ, H. (2006): Psychoedukation bei schizophrenen Störungen – Psychotherapie oder »Unterwanderung«? *Psychiatrische Praxis*, 33(8): 372–382. <https://doi.org/10.1055/s-2005-915333>.
- KLINGBERG, S., HESSE, K. (2014): Stationäre Evidenzbasierte Psychotherapie bei Psychosen: Kognitiv-verhaltenstherapeutisches Praxismanual. Stuttgart: Kohlhammer.
- KLINGBERG, S., WITTORF, A., SICKINGER, S., JACOBI, U. (2009): Kognitive Verhaltenstherapie zur Behandlung von Patienten mit persistierenden psychotischen Symptomen, Behandlungsmanual, Version 3. http://www.psychose-psychotherapieforschung.de/ppp/files/POSITIVE_KVT_Manual_V3.pdf (09.07.2020).
- KNAPP, M., PATEL, A., CURRAN, C., LATIMER, E., CATTY, J., BECKER, T., ... BURNS, T. (2013): Supported employment: Cost-effectiveness across six European sites. *World Psychiatry*, 12(1): 60–68. <https://doi.org/10.1002/wps.20017>.
- KONRAD, K. (2011): Strukturelle Hirnentwicklung in der Adoleszenz. In: P. J. Uhlhaas, K. Konrad (Hg.): *Das adoleszente Gehirn* (S. 124–138). Stuttgart: Kohlhammer.
- KONRAD, K., FIRK, C., UHLHAAS, P. J. (2013): Hirnentwicklung in der Adoleszenz. *Deutsches Ärzteblatt*, 110(25): 425–431. <https://doi.org/10.3238/arztebl.2013.0425>.
- KORDON, A., LOTZ-RAMBALDI, W., MUCHE-BOROWSKI, C., HOHAGEN, F. (2013): S3-Leitlinie Zwangsstörungen, AWMF-Register Nr. 038/017 im Auftrag der Deutschen Gesellschaft für Psychiatrie und Psychotherapie, Psychosomatik und Nervenheilkunde e.V. (DGPPN). <http://www.awmf.org/leitlinien/detail/ll/038-017.html> (06.08.2021).

- LAMBERT, M., CONUS, P., EIDE, P., MASS, R., KAROW, A., MORITZ, S., ... NABER, D. (2004): Impact of present and past antipsychotic side effects on attitude toward typical antipsychotic treatment and adherence. *European Psychiatry*, 19(7): 415–422. <https://doi.org/10.1016/j.eurpsy.2004.06.031>.
- LAMSTER, F., KIENER, J., WAGNER, K., RIEF, W., GÖRGE, S. C., IWANIUK, S., LEUBE, D., FALKENBERG, D. I., KLUGE, I., KIRCHER T., MEHL, S. (2018): Ist Wahn indirekt veränderbar? Ein stimmungsverbesserndes KVT-Konzept für die stationäre Standardversorgung von Patienten mit schizophrenen Störungen. *Verhaltenstherapie*, 28(3): 138–146.
- LANGMAACK, B., BRAUNE-KRICKAU, M. (2000): *Wie die Gruppe laufen lernte*. Weinheim: Beltz PVU.
- LARKIN, W., MORRISON, A. P. (2007): *Trauma and psychosis: New directions for theory and therapy*. London: Routledge.
- LAWRENCE, D., HANCOCK, K. J., KISELY, S. (2013): The gap in life expectancy from preventable physical illness in psychiatric patients in Western Australia: Retrospective analysis of population based registers. *BMJ*, 346: f2539. <https://doi.org/10.1136/bmj.f2539>.
- LECOMTE, T., LECLERC, C., WYKES, T., NICOLE, L., ABDEL BAKI, A. (2015): Understanding process in group cognitive behaviour therapy for psychosis. *Psychol Psychother*, 88(2): 163–177. <https://doi.org/10.1111/papt.12039>.
- LEOPOLD, K., NIKOLAIDES, A., BAUER, M., BECHDOLF, A., CORRELL, C., JESSEN, F., ... KLOSTERKÖTTER, J. (2015): Angebote zur Früherkennung von Psychosen und bipolaren Störungen in Deutschland. *Der Nervenarzt*, 86(3): 352–358. <https://doi.org/10.1007/s00115-014-4119-2>.
- LESTER, H., BIRCHWOOD, M., BRYAN, S., ENGLAND, E., ROGERS, H., SIRVASTAVA, N. (2009): Development and implementation of early intervention services for young people with psychosis: Case study. *The British Journal of Psychiatry*, 194(5): 446–450. <https://doi.org/10.1192/bjp.bp.108.053587>.
- LEUCHT, S., CIPRIANI, A., SPINELLI, L., MAVRIDIS, D., ÖREY, D., RICHTER, F., ... GEDDES, J. R. (2013): Comparative efficacy and tolerability of 15 antipsychotic drugs in schizophrenia: A multiple-treatments meta-analysis. *The Lancet*, 382(9896): 951–962. [https://doi.org/10.1016/S0140-6736\(13\)60733-3](https://doi.org/10.1016/S0140-6736(13)60733-3).
- LEUCHT, S., LEUCHT, C., HUHN, M., CHAIMANI, A., MAVRIDIS, D., HELFER, B., ... CIPRIANI, A. (2017): Sixty years of placebo-controlled antipsychotic drug trials in acute schizophrenia: Systematic review, Bayesian meta-analysis, and meta-regression of efficacy predictors. *American Journal of Psychiatry*, 174(10): 927–942. <https://doi.org/10.1176/appi.ajp.2017.16121358>.
- LEUCHTER, A. F., HUNTER, A. M., TARTTER, M., COOK, I. A. (2014): Role of pill-taking, expectation and therapeutic alliance in the placebo response in clinical trials for major depression. *The British Journal of Psychiatry*, 205(6): 443–449. <https://doi.org/10.1192/bjp.bp.113.140343>.
- LEVI, L., HAIM, M. B., BURSHEIN, S., WINTER-VAN ROSSUM, I., HERES, S., DAVIDSON, M., ... WEISER, M. (2020): Duration of untreated psychosis and response to treatment: An analysis of response in the OPTiMiSE cohort. *European Neuropsychopharmacology*, 32: 131–135. <https://doi.org/10.1016/j.euroneuro.2020.01.007>.
- LIEBERMAN, J. A., FENTON, W. S. (2000): Delayed detection of psychosis: Causes, consequences, and effect on public health. *American Journal of Psychiatry*, 157(11): 1727–1730. <https://doi.org/10.1176/appi.ajp.157.11.1727>.

- LIEBERMAN, J. A., PHILLIPS, M., GU, H., STROUP, S., ZHANG, P., KONG, L., ... HAMER, R. M. (2003): Atypical and conventional antipsychotic drugs in treatment-naive first-episode schizophrenia: A 52-week randomized trial of clozapine vs chlorpromazine. *Neuropsychopharmacology*, 28(5): 995–1003. <https://doi.org/10.1038/sj.npp.1300157>.
- LINCOLN, T. (2014): Kognitiv-behaviorale Psychotherapie. In B. G. SCHIMMELMANN, F. RESCH (Hg.): *Psychosen in der Adoleszenz: Entwicklungspsychopathologie, Früherkennung und Behandlung*. Stuttgart: Kohlhammer.
- LINDART, M. (2016): *Was Coaching wirksam macht: Wirkfaktoren von Coachingprozessen im Fokus*. Wiesbaden: Springer.
- LINEHAN, M. M. (1987): Dialectical behavior therapy for borderline personality disorder: Theory and method. *Bulletin of the Menninger Clinic*, 51(3): 261–276.
- LLOYD-EVANS, B., CROSBY, M., STOCKTON, S., PILLING, S., HOBBS, L., HINTON, M., JOHNSON, S. (2011): Initiatives to shorten duration of untreated psychosis: Systematic review. *The British Journal of Psychiatry*, 198(4): 256–263. <https://doi.org/10.1192/bjp.bp.109.075622>.
- LLOYD-EVANS, B., MAYO-WILSON, E., HARRISON, B. (2014): A systematic review and meta-analysis of randomised controlled trials of peer support for people with severe mental illness. *BMC Psychiatry*, 14: 39. <https://doi.org/10.1186/1471-244X-14-39>.
- LOCKETT, H., WAGHORN, G., KYDD, R. (2018): A framework for improving the effectiveness of evidence-based practices in vocational rehabilitation. *Journal of Vocational Rehabilitation*, 49(1): 15–31. <https://doi.org/10.3233/JVR-180951>.
- LONSDALE, N., WEBBER, M. (2021): Practitioner opinions of crisis plans within early intervention in psychosis services: A mixed methods study. *Health Soc Care Community*, Mar 4. Online ahead of print. <https://doi.org/10.1111/hsc.13308>.
- LUCIANO, A., METCALFE, J. D., BOND, G. R., XIE, H., MILLER, A. L., RILEY, J., O'MALLEY, A. J., DRAKE, R. E. (2016): Hospitalization risk before and after employment among adults with schizophrenia, bipolar disorder, or major depression. *Psychiatric Services*, 67(10): 1131–1138. <https://doi.org/2010.1176/appi.ps.201500343>.
- LUDWIG, L., MEHL, S., KRKOVIC, K., LINCOLN, T. M. (2020): Effectiveness of emotion regulation in daily life in individuals with psychosis and nonclinical controls. An experience-sampling study. *Journal of Abnormal Psychology*, 129(4): 408–421. <https://doi.org/10.1037/abn0000505>.
- MAHLER, L., WULLSCHLEGER, A., OSTER, A. (im Druck): *Nachbesprechung von Zwangsmaßnahmen. Ein Praxisleitfaden*. Köln: Psychiatrie Verlag.
- MAHLKE, C., SCHULZ, G., SIELAFF, G., NIXDORF, R., BOCK, T. (2019): Einsatzmöglichkeiten von Peerbegleitung in der psychiatrischen Versorgung. *Bundesgesundheitsblatt*, 62(2): 214–221. <https://doi.org/10.1007/s00103-018-2875-z>.
- MALIK, P., KEMMLER, G., HUMMER, M., RIECHER-ROESSLER, A., KAHN, R. S., FLEISCHHACKER, W. W., GROUP, E. S. (2011): Sexual dysfunction in first-episode schizophrenia patients: Results from European First Episode Schizophrenia Trial. *Journal of Clinical Psychopharmacology*, 31(3): 274–280. <https://doi.org/10.1097/JCP.0b013e3182199bcc>.
- MARAJ, A., MUSTAFA, S., JOOBER, R., MALLA, A., SHAH, J. L., IYER, S. N. (2019): Caught in the »NEET trap«: The intersection between vocational inactivity and disengagement from an early intervention service for psychosis. *Psychiatric Services*, 70(4): 302–308. <https://doi.org/10.1176/appi.ps.201800319>.
- MAYORAL-VAN SON, J., DE LA FOZ, V. O.-G., MARTINEZ-GARCIA, O., MORENO, T., PARRILLA-ESCOBAR, M., VALDIZAN, E. M., CRESPO-FACORRO, B. (2016): Clinical outcome after antipsychotic treatment discontinuation in functionally recovered first-episode nonaffective psychosis

- individuals: A 3-year naturalistic follow-up study. *J Clin Psychiatry*, 77(4): 492–500. <https://doi.org/10.4088/JCP.14m09540>.
- MCGAHEY, E., WAGHORN, G., LLOYD, C., MORRISSEY, S., WILLIAMS, P. L. (2014): Formal plan for self-disclosure enhances supported employment outcomes among young people with severe mental illness. *Early Intervention in Psychiatry*. Advance online publication. <https://doi.org/2010.1111/eip.12196>.
- MCGORRY, P. D., CHANEN, A., MCCARTHY, E., VAN RIEL, R., MCKENZIE, D., SINGH, B. S. (1991): Posttraumatic stress disorder following recent-onset psychosis: An unrecognized postpsychotic syndrome. *Journal of Nervous and Mental Disease*, 179(5): 253–258. <https://doi.org/10.1097/00005053-199105000-00002>.
- MCGORRY, P. D., EDWARDS, J., MIHALOPOULOS, C., HARRIGAN, S. M., JACKSON, H. J. (1996): EPPIC: An evolving system of early detection and optimal management. *Schizophr Bull*, 22(2): 305–326. <https://doi.org/10.1093/schbul/22.2.305>.
- MCGORRY, P. D., GOLDSTONE, S. D., PARKER, A. G., RICKWOOD, D. J., HICKIE, I. B. (2014): Cultures for mental health care of young people: An Australian blueprint for reform. *The Lancet Psychiatry*, 1(7): 559–568. [https://doi.org/10.1016/S2215-0366\(14\)00082-0](https://doi.org/10.1016/S2215-0366(14)00082-0).
- MCGORRY, P. D., HICKIE, I. B., YUNG, A. R., PANTELIS, C., JACKSON, H. J. (2006): Clinical staging of psychiatric disorders: A heuristic framework for choosing earlier, safer and more effective interventions. *Australian and New Zealand Journal of Psychiatry*, 40(8): 616–622. <https://doi.org/10.1080/j.1440-1614.2006.01860.x>.
- MCGORRY, P. D., RATHEESH, A., O'DONOGHUE, B. (2018): Early Intervention – an implementation challenge for 21st century mental health care. *JAMA Psychiatry*, 75(6): 545–546. <https://doi.org/10.1001/jamapsychiatry.2018.0621>.
- MEHL, S., HAUTMANN, C., NITTEL, C. M., RIEF, W., KIRCHER, T., LINCOLN, T. M. (2021): Feasibility and efficacy estimate of an intensified emotion-focused version of Cognitive Behavior Therapy (CBT-E) in comparison to wait list in a single-blinded randomized-controlled pilot trial (submitted).
- MEHL, S., LINCOLN, T. M. (2014): *Therapie-Tools Psychosen*. Weinheim, Basel: Beltz.
- MEI, C., VAN DER GAAG, M., NELSON, B., SMIT, F., YUEN, H. P., BERGER, M., KRUMHOLTZ, M., FRENCH, P., AMMINGER, G. P., BECHDOLF, A., CUIJPERS, P., YUNG, A. R., MCGORRY, P. D. (2021): Preventive interventions for individuals at ultra high risk for psychosis: An updated and extended meta-analysis. *Clin Psychol Rev*, Mar 26: 102005. <https://doi.org/10.1016/j.cpr.2021.102005>.
- MENTZOS, S. (2015): Dilemmatische Gegensätze im Zentrum der Psychodynamik der Psychosen. *Forum der Psychoanalyse*, 31(4): 341–352. <https://doi.org/10.1007/s00451-015-0216-5>.
- MITCHELL, S., SHANNON, C., MULHOLLAND, C., HANNA, D. (2020): Reaching consensus on the principles of trauma-informed care in early intervention psychosis services: A Delphi study. *Early Intervention in Psychiatry*, Nov 9. Online ahead of print. <https://doi.org/10.1111/eip.13068>.
- MIURA, T., NOMA, H., FURUKAWA, T. A., MITSUYASU, H., TANAKA, S., STOCKTON, S., ... LEUCHT, S. (2014): Comparative efficacy and tolerability of pharmacological treatments in the maintenance treatment of bipolar disorder: A systematic review and network meta-analysis. *The Lancet Psychiatry*, 1(5): 351–359. [https://doi.org/10.1016/S2215-0366\(14\)70314-1](https://doi.org/10.1016/S2215-0366(14)70314-1).
- MOFFITT, T. E. (1997): Adolescence-limited and life-course-persistent offending: A complementary pair of developmental theories. In T. P. Thornberry (Hg.): *Developmental theories of crime and delinquency* (S. 11–54). New Brunswick, NJ: Transaction Publishers.

- MONTAG, C., DZIOBEK, I., RICHTER, I. S., NEUHAUS, K., LEHMANN, A., SYLLA, R., ... GALLINAT, J. (2011): Different aspects of theory of mind in paranoid schizophrenia: Evidence from a video-based assessment. *Psychiatry Research*, 186(2–3): 203–209. <https://doi.org/10.1016/j.psychres.2010.09.006>.
- MONTAG, C., MAHLER, L., WULLSCHLEGER, A. (2017): Auswirkung einer standardisierten Nachbesprechung durchgeführter Zwangsmaßnahmen auf objektiven und subjektiven Zwang. *Verfahrensbogen für Mitarbeiter*. Psychiatrische Universitätsklinik der Charité, Berlin.
- MORITZ, S., BOHN, F., VECKENSTEDT, R., HOTTENROTT, B., WOODWARD, T. (2016): Metacognition Study Group: Metakognitives Training für schizophrene Patienten (MKT): Manual. 6. Auflage. Hamburg: VanHam Campus Verlag.
- MORITZ, S., GAWDA, HEINZ, A., GALLINAT, J. (2019): Four reasons why early detection centers for psychosis should be renamed and their treatment targets reconsidered: We should not catastrophize a future we can neither reliably predict nor change. *Psychol Med*, 49(13): 2134–2140. <https://doi.org/10.1017/S0033291719001740>.
- MORITZ, S., KRIEGER, E., BOHN, F., VECKENSTEDT, R. (2017): MKT+: Individualisiertes Metakognitives Therapieprogramm für Menschen mit Psychose. 2. Auflage. Berlin, Heidelberg: Springer.
- MORRISON, A. P., BOWE, S., LARKIN, W., NOTHARD, S. (1999): The psychological impact of psychiatric admission: Some preliminary findings. *The Journal of Nervous and Mental Disease*, 187(4): 250–253. <https://doi.org/10.1097/00005053-199904000-00011>.
- MORRISON, A. P., FRAME, L., LARKIN, W. (2003): Relationships between trauma and psychosis: A review and integration. *British Journal of Clinical Psychology*, 42(4): 331–353. <https://doi.org/10.1348/014466503322528892>.
- MUESER, K. T., DETORE, N. R., KREDLOW, M. A., BOURGEOIS, M. L., PENN, D. L., HINTZ, K. (2020): Clinical and demographic correlates of stigma in first-episode psychosis: The impact of duration of untreated psychosis. *Acta Psychiatrica Scandinavica*, 141(2): 157–166. <https://doi.org/10.1111/acps.13102>.
- NEWELL, J. M., MACNEIL, G. A. (2010): Professional burnout, vicarious trauma, secondary traumatic stress, and compassion fatigue. *Best Practices in Mental Health*, 6(2): 57–68.
- NICE (2014): Psychosis and schizophrenia in adults: Prevention and management. Clinical guideline. London: National Institute for Health and Care Excellence. www.nice.org.uk/guidance/cg178 (09.08.2021).
- NIEMANTSVERDRIET, M. B., SLOTEMA, C. W., BLOM, J. D., FRANKEN, I. H., HOEK, H. W., SOMMER, I. E., VAN DER GAAG, M. (2017): Hallucinations in borderline personality disorder: Prevalence, characteristics and associations with comorbid symptoms and disorders. *Scientific Reports*, 7(1): 1–8. <https://doi.org/10.1038/s41598-017-13108-6>.
- NOCK, M. K., JOINER JR, T. E., GORDON, K. H., LLOYD-RICHARDSON, E., PRINSTEIN, M. J. (2006): Non-suicidal self-injury among adolescents: Diagnostic correlates and relation to suicide attempts. *Psychiatry Research*, 144(1): 65–72. <https://doi.org/10.1016/j.psychres.2006.05.010>.
- NORDENTOFT, M., JEPPESEN, P., ABEL, M., KASSOW, P., PETERSEN, L., THORUP, A., ... JØRGENSEN, P. (2002): OPUS study: Suicidal behaviour, suicidal ideation and hopelessness among patients with first-episode psychosis: One-year follow-up of a randomised controlled trial. *The British Journal of Psychiatry*, 181(S43): s98–s106. <https://doi.org/10.1192/bjp.181.43.s98>.

- NUECHTERLEIN, K. H., SUBOTNIK, K. L., VENTURA, J., TURNER, L. R., GITLIN, M. J., GRETCHEN-DOORLY, D., ... LIBERMAN, R. P. (2020): Enhancing return to work or school after a first episode of schizophrenia: The UCLA RCT of individual placement and support and workplace fundamentals module training. *Psychological Medicine*, 50(1): 20–28. <https://doi.org/10.1017/S0033291718003860>.
- O'CONNELL, J., SUNWOO, M., MCGORRY, P., O'DONOGHUE, B. (2019): Characteristics and outcomes of young people with substance induced psychotic disorder. *Schizophrenia Research*, 206: 257–262. <https://doi.org/10.1016/j.schres.2018.11.007>.
- OECD (2020): Education at a glance 2020: OECD indicators. Paris: OECD Publishing. <https://doi.org/10.1787/69096873-en>.
- OHAYON, M. M., SCHATZBERG, A. F. (2002): Prevalence of depressive episodes with psychotic features in the general population. *American Journal of Psychiatry*, 159(11): 1855–1861. <https://doi.org/10.1176/appi.ajp.159.11.1855>.
- ØSTERGAARD, S. D., BERTELSEN, A., NIELSEN, J., MORS, O., PETRIDES, G. (2013): The association between psychotic mania, psychotic depression and mixed affective episodes among 14,529 patients with bipolar disorder. *J Affect Disord*, 147(1–3): 44–50. <https://doi.org/10.1016/j.jad.2012.10.005>.
- PALLANTI, S., SALERNO, L. (2020): Adult ADHD in schizophrenia spectrum and other psychotic disorders. In S. Pallanti, L. Salerno: The burden of adult ADHD in comorbid psychiatric and neurological disorders (S. 119–136). Berlin, Heidelberg: Springer.
- PATTON, G. C., OLSSON, C. A., SKIRBEKK, V., SAFFERY, R., WLODEK, M. E., AZZOPARDI, P. S., ... FRANCIS, K. (2018): Adolescence and the next generation. *Nature*, 554(7693): 458–466. <https://doi.org/10.1038/nature25759>.
- PATTON, G. C., SAWYER, S. M., SANTELLI, J. S., ROSS, D. A., A___, R., ALLEN, N. B., ... BONELL, C. (2016): Our future: A Lancet commission on adolescent health and wellbeing. *The Lancet*, 387(10036): 2423–2478. [https://doi.org/10.1016/S0140-6736\(16\)00579-1](https://doi.org/10.1016/S0140-6736(16)00579-1).
- PEACH, N., ALVAREZ-JIMENEZ, M., CROPPER, S. J., SUN, P., HALPIN, E., O'CONNELL, J., BENDALL, S. (2021): Trauma and the content of hallucinations and post-traumatic intrusions in first-episode psychosis. *Psychology and Psychotherapy: Theory, Research and Practice*, 94 Suppl 2: 223–241. <https://doi.org/10.1111/papt.12273>.
- PENTTILÄ, M., JÄÄSKELÄINEN, E., HIRVONEN, N., ISOHANNI, M., MIETTUNEN, J. (2014): Duration of untreated psychosis as predictor of long-term outcome in schizophrenia: Systematic review and meta-analysis. *The British Journal of Psychiatry*, 205(2): 88–94. <https://doi.org/10.1192/bjp.bp.113.127753>.
- PLENER, P. L., FEGERT, J. M., KAESS, M., KAPUSTA, N. D., BRUNNER, R., GROSCHWITZ, R. C., ... BECKER, K. (2016): Nicht-suizidales selbstverletzendes Verhalten (NSSV) im Jugendalter: Klinische Leitlinie zur Diagnostik und Therapie. *Zeitschrift für Kinder- und Jugendpsychiatrie und Psychotherapie*, 45(6): 463–474. <https://doi.org/10.1024/1422-4917/a000463>.
- PLENER, P. L., KAPUSTA, N. D., KÖLCH, M. G., KAESS, M., BRUNNER, R. (2012): Nicht-suizidale Selbstverletzung als eigenständige Diagnose. *Zeitschrift für Kinder- und Jugendpsychiatrie und Psychotherapie*, 40(2): 113–120. <https://doi.org/10.1024/1422-4917/a000158>.
- PLENER, P. L., LIBAL, G., KELLER, F., FEGERT, J. M., MUEHLENKAMP, J. J. (2009): An international comparison of adolescent non-suicidal self-injury (NSSI) and suicide attempts: Germany and the USA. *Psychol Med*, 39(9): 1549–1558. <https://doi.org/10.1017/S0033291708005114>.
- POYUROVSKY, M.; WEIZMAN, A., WEIZMAN, R. (2004): Obsessive-Compulsive Disorder in Schizophrenia. *CNS Drugs* 18(14): 989–1010. <https://doi.org/10.2165/00023210-200418140-00004>

- PRIEBE, S., BRÖKER, M., GUNKEL, S. (1998): Involuntary admission and posttraumatic stress disorder symptoms in schizophrenia patients. *Comprehensive Psychiatry*, 39(4): 220–224. [https://doi.org/10.1016/S0010-440X\(98\)90064-5](https://doi.org/10.1016/S0010-440X(98)90064-5).
- RAMSAY, C. E., BROUSSARD, B., GOULDING, S. M., CRISTOFARO, S., HALL, D., KASLOW, N. J., ... COMPTON, M. T. (2011): Life and treatment goals of individuals hospitalized for first-episode nonaffective psychosis. *Psychiatry Research*, 189(3): 344–348. <https://doi.org/10.1016/j.psychres.2011.05.039>.
- RASMUSSEN, A. R., NORDGAARD, J., PARNAS, J. (2019): Schizophrenia-spectrum psychopathology in obsessive-compulsive disorder: An empirical study. *Eur Arch Psychiatry Clin Neurosci*, 1–10. <https://doi.org/10.1007/s00406-019-01022-z>.
- READ, J. (1997): Child abuse and psychosis: A literature review and implications for professional practice. *Professional Psychology: Research and Practice*, 28(5): 448–456. <https://doi.org/10.1037/0735-7028.28.5.448>.
- READ, J., PERRY, B. D., MOSKOWITZ, A., CONNOLLY, J. (2001): The contribution of early traumatic events to schizophrenia in some patients: A traumagenic neurodevelopmental model. *Psychiatry: Interpersonal and Biological Processes*, 64(4): 319–345. <https://doi.org/10.1521/psyc.64.4.319.18602>.
- READ, J., VAN OS, J., MORRISON, A. P., ROSS, C. A. (2005): Childhood trauma, psychosis and schizophrenia: A literature review with theoretical and clinical implications. *Acta Psychiatr Scand*, 112(5): 330–350. <https://doi.org/10.1111/j.1600-0447.2005.00634.x>.
- REMSCHMIDT, H. (2013): Adoleszenz – seelische Gesundheit und psychische Krankheit. *Deutsches Ärzteblatt*, 110(25): 423–424. <https://doi.org/10.3238/arztebl.2013.0423>.
- RESCH, F., PARZER, P., BRUNNER, R., GROUP, B. S. (2008): Self-mutilation and suicidal behaviour in children and adolescents: Prevalence and psychosocial correlates: Results of the BELLA study. *European Child Adolescent Psychiatry*, 17(1): 92–98. <https://doi.org/10.1007/s00787-008-1010-3>.
- RINALDI, M., KILLACKEY, E., SMITH, J., SHEPHERD, G., SINGH, S. P., CRAIG, T. (2010): First episode psychosis and employment: A review. *International Review of Psychiatry*, 22(2): 148–162. <https://doi.org/10.3109/09540261003661825>.
- ROGERS, C. (1981): *Der neue Mensch*. Stuttgart: Klett-Cotta.
- ROICK, C., DEISTER, A., ZEICHNER, D., BIRKER, T., KÖNIG, H.-H., ANGERMEYER, M. C. (2005): Das regionale Psychiatrie-Budget: Ein neuer Ansatz zur effizienten Verknüpfung stationärer und ambulanter Versorgungsleistungen. *Psychiatrische Praxis*, 32(4): 177–184. <https://doi.org/10.1055/s-2004-834736>.
- ROMANOWSKA, S., MACQUEEN, G., GOLDSTEIN, B. I., WANG, J., KENNEDY, S. H., BRAY, S., ... ADDINGTON, J. (2020): Social and role functioning in youth at risk of serious mental illness. *Early Intervention in Psychiatry*, 14(4): 463–469. <https://doi.org/10.1111/eip.12872>.
- ROMME, M., ESCHER, S. (2013): *Stimmenhören verstehen. Ein Leitfaden für die Arbeit mit Stimmenhörern*. Köln: Psychiatrie Verlag.
- ROSENHECK, R., LESLIE, D., SINT, K., LIN, H., ROBINSON, D. G., SCHOOLER, N. R., ... KANE, J. M. (2016): Cost-effectiveness of comprehensive, integrated care for first episode psychosis in the NIMH RAISE Early Treatment Program. *Schizophr Bull*, 42(4): 896–906. <https://doi.org/10.1093/schbul/sbv224>.

- ROSENHECK, R., MUESER, K. T., SINT, K., LIN, H., LYNDE, D. W., GLYNN, S. M., ... KANE, J. M. (2017): Supported employment and education in comprehensive, integrated care for first episode psychosis: Effects on work, school, and disability income. *Schizophrenia Research*, 128: 120–128. <https://doi.org/10.1016/j.schres.2016.09.024>.
- ROY, L., ROUSSEAU, J., FORTIER, P., MOTTARD, J.-P. (2009): Perception of community functioning in young adults with recent-onset psychosis: Implications for practice. *British Journal of Occupational Therapy*, 72(10): 424–433. <https://doi.org/10.1177/030802260907201002>.
- RUCHLEWSKA, A., MULDER, C. L., SMULDERS, R., ROSENSCHOON, B. J., KOOPMANS, G., WIERDSMA, A. (2009): The effects of crisis plans for patients with psychotic and bipolar disorders: A randomised controlled trial. *BMC Psychiatry*, 9: 41. <https://doi.org/10.1186/1471-244X-9-41>.
- RÜSCH, N., NORDT, C., KAWOHL, W., BRANTSCHEN, E., BÄRTSCH, B., MÜLLER, M., ... RÖSSLER, W. (2014): Work-related discrimination and change in self-stigma among people with mental illness during supported employment. *Psychiatric Services*, 65(12): 1496–1498. <https://doi.org/10.1176/appi.ps.201400073>.
- SALVATORE, G., LYSAKER, P. H., GUMLEY, A., POPOLO, R., MARI, J., DIMAGGIO, G. (2012): Out of illness experience: Metacognition-oriented therapy for promoting self-awareness in individuals with psychosis. *American Journal of Psychotherapy*, 66(1): 85–106. <https://doi.org/10.1176/appi.psychotherapy.2012.66.1.85>.
- SAWYER, S. M., AZZOPARDI, P. S., WICKREMARATHNE, D., PATTON, G. C. (2018): The age of adolescence. *The Lancet Child Adolescent Health*, 2(3): 223–228. [https://doi.org/10.1016/S2352-4642\(18\)30022-1](https://doi.org/10.1016/S2352-4642(18)30022-1).
- SCHÄFER, I., GAST, U., HOFMANN, A., KNAEVELSRUD, C., LAMPE, A., LIEBERMANN, P., ... WÖLLER, W. (2019): S3-Leitlinie Posttraumatische Belastungsstörung. Berlin, Heidelberg: Springer.
- SCHERK, H., PAJONK, F. G., LEUCHT, S. (2007): Second-generation antipsychotic agents in the treatment of acute mania: A systematic review and meta-analysis of randomized controlled trials. *Arch Gen Psychiatry*, 64(4): 442–455. <https://doi.org/10.1001/archpsyc.64.4.442>.
- SCHLIMME, J., BRÜCKNER B. (2017): Die abklingende Psychose. Verständigung finden, Genesung begleiten. Köln: Psychiatrie Verlag.
- SCHMIDT, F. (2012): Nutzen und Risiken psychoedukativer Interventionen für die Krankheitsbewältigung bei schizophrenen Erkrankungen. Bonn: Psychiatrie Verlag.
- SCHMIDT, S. J., SCHULTZE-LUTTER, F., SCHIMMELMANN, B. G., MARIC, N. P., SALOKANGAS, R. K. R., RIECHER-RÖSSLER, A., VAN DER GAAG, M., MENEGHELLI, A., NORDENTOFT, M., MARSHALL, M., MORRISON, A., RABALLO, A., KLOSTERKÖTTER, J., RUHRMANN S. (2015): EPA guidance on the early intervention in clinical high risk states of psychoses. *European Psychiatry*, 30(3): 388–404. <https://doi.org/10.1016/j.eurpsy.2015.01.013>.
- SCHNEIDER, M. (2008): Puberty as a highly vulnerable developmental period for the consequences of cannabis exposure. *Addiction Biology*, 13(2): 253–263. <https://doi.org/10.1111/j.1369-1600.2008.00110.x>.
- SCHULTZE-LUTTER, F., MICHEL, C., SCHMIDT, S. J., SCHIMMELMANN, B. G., MARIC, N. P., SALOKANGAS, R., ... RABALLO, A. (2015): EPA guidance on the early detection of clinical high risk states of psychoses. *European Psychiatry*, 30(3): 405–416. <https://doi.org/10.1016/j.eurpsy.2015.01.010>.
- SEIFFGE-KRENKE, I. (2006): Leaving home or still in the nest? Parent-child relationships and psychological health as predictors of different leaving home patterns. *Developmental Psychology*, 42(5): 864–876. <https://doi.org/10.1037/0012-1649.42.5.864>.

- SEIKKULA, J., ARNKIL, T. E. (2007): Dialoge im Netzwerk. Neue Beratungskonzepte für die psychosoziale Praxis. Neumünster: Paranus.
- SHAW, K., MCFARLANE, A., BOOKLESS, C. (1997): The phenomenology of traumatic reactions to psychotic illness. *The Journal of Nervous and Mental Disease*, 185(7): 434–441. <https://doi.org/10.1097/00005053-199707000-00003>.
- SIBITZ, I., KATSCHNIG, H., GOESSLER, R., UNGER, A., AMERING, M. (2005): Pharmacophilia and pharmacophobia: Determinants of patients' attitudes towards antipsychotic medication. *Pharmacopsychiatry*, 38(03): 107–112. <https://doi.org/10.1055/s-2005-864119>.
- SIEBERT, S., LEOPOLD, K., BAUMGARDT, J., BURKHARDT, E., BECHDOLF, A. (2021): Specialized in-patient treatment for young people with early-phase psychosis: Acute-treatment and 12-month results (submitted).
- SIMMONDS, D. J., HALLQUIST, M. N., ASATO, M., LUNA, B. (2014): Developmental stages and sex differences of white matter and behavioral development through adolescence: A longitudinal diffusion tensor imaging (DTI) study. *Neuroimage*, 92: 356–368. <https://doi.org/10.1016/j.neuroimage.2013.12.044>.
- SINGH, S. P., TUOMAINEN, H., DE GIROLAMO, G., MARAS, A., SANTOSH, P., McNICHOLAS, F., ... FRANI, T. (2017): Protocol for a cohort study of adolescent mental health service users with a nested cluster randomised controlled trial to assess the clinical and cost-effectiveness of managed transition in improving transitions from child to adult mental health services (the MILESTONE study). *BMJ open*, 7(10): e016055. <https://doi.org/10.1136/bmjopen-2017-016055>.
- SLOTEMA, C., BLOM, J. D., NIEMANTSVERDRIET, M., DEEN, M., SOMMER, I. E. (2018): Comorbid diagnosis of psychotic disorders in borderline personality disorder: Prevalence and influence on outcome. *Frontiers in Psychiatry*, 9: 84. <https://doi.org/10.3389/fpsy.2018.00084>.
- SLOTEMA, C. W., DAALMAN, K., BLOM, J. D., DIEDEREN, K. M., HOEK, H. W., SOMMER, I. (2012): Auditory verbal hallucinations in patients with borderline personality disorder are similar to those in schizophrenia. *Psychol Med*, 42(9): 1873–1878. <https://doi.org/10.1017/S0033291712000165>.
- STANGHELLINI, G., LYSAKER, P. H. (2007): The psychotherapy of schizophrenia through the lens of phenomenology: Intersubjectivity and the search for the recovery of first- and second-person awareness. *American Journal of Psychotherapy*, 61(2): 163–179. <https://doi.org/10.1176/appi.psychotherapy.2007.61.2.163>.
- STANGL, W. (2020): Online-Lexikon für Psychologie und Pädagogik. Stichwort: Adoleszenz. <https://lexikon.stangl.eu/200/adoleszenz/> (11.11.2020).
- STARZER, M. S. K., NORDENTOFT, M., HJORTHØJ, C. (2018): Rates and predictors of conversion to schizophrenia or bipolar disorder following substance-induced psychosis. *American Journal of Psychiatry*, 175(4): 343–350. <https://doi.org/10.1176/appi.ajp.2017.17020223>.
- STIEGLITZ, R.-D., VAUTH, R. (2001): Die Wirksamkeit kognitiv-verhaltenstherapeutischer Ansätze in der Behandlung chronischer Positivsymptomatik. *Zeitschrift für Klinische Psychologie und Psychotherapie*, 30(4): 279–284. <https://doi.org/10.1026//1616-3443.30.4.279>.
- SUIJKERBUIJK, Y. B., SCHAAFSMA, F. G., VAN MECHELEN, J. C., OJAJÄRVI, A., CORBIÈRE, M., ANEMA, J. R. (2017): Interventions for obtaining and maintaining employment in adults with severe mental illness: A network meta-analysis. *Cochrane Database of Systematic Reviews*, 9(9): CD011867. <https://doi.org/10.1002/14651858.CD011867.pub2>.

- SVEINSDOTTIR, V., LIE, S. A., BOND, G. R., ERIKSEN, H. R., TVEITO, T. H., GRASDAL, A. L., REME, S. E. (2019): Individual placement and support for young adults at risk of early work disability (the SEED trial): A randomized controlled trial. *Scandinavian Journal of Work, Environment and Health*, 45(1): 33–41. <https://doi.org/10.5271/sjweh.3837>.
- SWANSON, S. J., BECKER, D. R., BOND, G. R., ELLISON, M. L. (2020): IPS supported employment for youth: Helping transition age youth with serious mental health conditions to access education, jobs, and careers. Worcester, MA: University of Massachusetts Medical School, Department of Psychiatry, Transitions to Adulthood Center for Research.
- SYMONDS, J., DIETRICH, J., CHOW, A., SALMELA-ARO, K. (2016): Mental health improves after transition from comprehensive school to vocational education or employment in England: A national cohort study. *Developmental Psychology*, 52(4): 652–665. <https://doi.org/10.1037/a0040118>.
- TAYLOR, A., BOND, G. (2014): Employment specialist competencies as predictors of employment outcomes. *Community Mental Health Journal*, 50(1): 31–40. <https://doi.org/10.1007/s10597-012-9554-6>.
- THORNICROFT, G., MEHTA, N., CLEMENT, S., EVANS-LACKO, S., DOHERTY, M., ROSE, D., ... HENDERSON, C. (2016): Evidence for effective interventions to reduce mental-health-related stigma and discrimination. *Lancet*, 387(10023): 1123–1132. [https://doi.org/10.1016/S0140-6736\(15\)00298-6](https://doi.org/10.1016/S0140-6736(15)00298-6).
- TIIHONEN, J., HAUKKA, J., TAYLOR, M., HADDAD, P. M., PATEL, M. X., KORHONEN, P. (2011): A nationwide cohort study of oral and depot antipsychotics after first hospitalization for schizophrenia. *American Journal of Psychiatry*, 168(6): 603–609. <https://doi.org/10.1176/appi.ajp.2011.10081224>.
- TOHEN, M., HENNEN, J., ZARATE JR, C. M., BALDESSARINI, R. J., STRAKOWSKI, S. M., STOLL, A. L., ... COHEN, B. M. (2000): Two-year syndromal and functional recovery in 219 cases of first-episode major affective disorder with psychotic features. *American Journal of Psychiatry*, 157(2): 220–228. <https://doi.org/10.1176/appi.ajp.157.2.220>.
- TOHEN, M., HENNEN, J., ZARATE JR, C. M., BALDESSARINI, R. J., STRAKOWSKI, S. M., STOLL, A. L., ... KOTTER, J. P. (2012): Die Kraft der zwei Systeme. *Harvard Business Manager*, 12: 22–26.
- VAN DEN BERG, D. P., DE BONT, P. A., VAN DER VLEUGEL, B. M., DE ROOS, C., DE JONGH, A., VAN MINNEN, A., VAN DER GAAG, M. (2016): Trauma-focused treatment in PTSD patients with psychosis: Symptom exacerbation, adverse events, and revictimization. *Schizophr Bull*, 42(3): 693–702. <https://doi.org/10.1093/schbul/sbv172>.
- VAN DEN BERG, D., DE BONT, P., VAN DER VLEUGEL, B. M., DE ROOS, C., DE JONGH, A., VAN MINNEN, A., VAN DER GAAG, M. (2018): Long-term outcomes of trauma-focused treatment in psychosis. *Br J Psychiatry*, 212(3): 180–182. <https://doi.org/10.1192/bjp.2017.30>.
- VAN OS, J., GULOKSUZ, S. (2017): A critique of the »ultra-high risk« and »transition« paradigm. *World Psychiatry*, 16(2): 200–206. <https://doi.org/10.1002/wps.20423>.
- VAUTH, R., STIEGLITZ, R.-D. (2008): Training emotionaler Intelligenz bei schizophrener Störungen: Ein Therapiemanual. Göttingen: Hogrefe.
- VLASTELICA, M., URLI, I., PAVLOVI, S. (2001): The assessment of the analytic group treatment efficiency according to Yalom's classification. *Coll Antropol*, 25: 227–237. <https://hrcak.srce.hr/1108>.2021).
- VON PETER, S., WILFER, A., GERVINK, A. (2019): Recoveryorientierte Gruppenarbeit für Menschen mit Psychoseerfahrungen. Ein Non-Manual. Köln: Psychiatrie Verlag.

- WALKER, G., BRYANT, W. (2013): Peer support in adult mental health services: A meta-synthesis of qualitative findings. *Psychiatr Rehabil J*, 36(1): 28–34. <https://doi.org/10.1037/h0094744>.
- WEINMANN, S., BECHDOLF, A., GREVE, N. (2021): *Psychiatrische Krisenintervention zu Hause. Das Praxisbuch zu StäB & Co. Köln: Psychiatrie Verlag.*
- WELLS, A. (2009): *Metacognitive therapy for anxiety and depression.* New York: Guilford.
- WHITEHORN, D., BROWN, J., RICHARD, J., RUI, Q., KOPALA, L. (2002): Multiple dimensions of recovery in early psychosis. *International Review of Psychiatry*, 14(4): 273–283. <https://doi.org/10.1080/0954026021000016914>.
- WHO (2015): *The European mental health action plan 2013–2020.* Copenhagen: World Health Organization.
- WHO (2017): *Providing individualized peer support in mental health and related areas – WHO quality rights training to act, unite and empower for mental health (pilot version).* Genf: World Health Organization (WHO/MSD/MHP/17.12).
- WINDELL, D., NORMAN, R., MALLA, A. K. (2012): The personal meaning of recovery among individuals treated for a first episode of psychosis. *Psychiatric Services*, 63(6): 548–553. <https://doi.org/10.1176/appi.ps.201100424>.
- WOODSIDE, H., KRUPA, T., POCOCK, K. (2007): Early psychosis, activity performance and social participation: A conceptual model to guide rehabilitation and recovery. *Psychiatric Rehabilitation Journal*, 31(2): 125–130. <https://doi.org/10.2975/31.2.2007.125.130>.
- WULLSCHLEGER, A., VANDAMME, A., RIED, J., PLUTA, M., MONTAG, C., MAHLER, L. (2019): Standardisierte Nachbesprechung von Zwangsmaßnahmen auf psychiatrischen Akutstationen: Ergebnisse einer Pilotstudie. *Psychiatrische Praxis*, 46(3): 128–134. <https://doi.org/10.1055/a-0651-6812>.
- WUNDERINK, L., NIEBOER, R. M., WIERSMA, D., SYTEMA, S., NIENHUIS, F. J. (2013): Recovery in remitted first-episode psychosis at 7 years of follow-up of an early dose reduction/discontinuation or maintenance treatment strategy: Long-term follow-up of a 2-year randomized clinical trial. *JAMA Psychiatry*, 70(9): 913–920. <https://doi.org/10.1001/jamapsychiatry.2013.19>.
- YALOM, I. D. (1995): *The theory and practice of group psychotherapy.* 4. Auflage. New York: US Basic Books.
- YALOM, I. D. (2010): *Existenzielle Psychotherapie.* 5. Auflage. Bergisch-Gladbach: EHP-Verlag.
- YU, X., CORRELL, C. U., XIANG, Y.-T., XU, Y., HUANG, J., YANG, F., ... MASAND, P. (2016): Efficacy of atypical antipsychotics in the management of acute agitation and aggression in hospitalized patients with schizophrenia or bipolar disorder: Results from a systematic review. *Shanghai Archives of Psychiatry*, 28(5): 241–252. <https://doi.org/10.11919/j.issn.1002-0829.216072>.
- YUNG, A. R., MCGORRY, P. D. (1996): The initial prodrome in psychosis: Descriptive and qualitative aspects. *Australian and New Zealand Journal of Psychiatry*, 30(5): 587–599. <https://doi.org/10.3109/00048679609062654>.
- ZACHRISSON, H. D., RÖDJE, K., MYKLETUN, A. (2006): Utilization of health services in relation to mental health problems in adolescents: A population based survey. *BMC Public Health*, 6: 34. <https://doi.org/10.1186/1471-2458-6-34>.
- ZUBIN, J., SPRING, B. (1977): Vulnerability: A new view of schizophrenia. *Journal of Abnormal Psychology*, 86(2): 103–126. <https://doi.org/10.1037//0021-843x.86.2.103>.